

Install OTRS on Win32

Table of Contents

<u>Install OTRS on Win32</u>	1
<u>1. Installations</u>	3
<u>1.1. Install PERL</u>	3
<u>1.1.1. Install Additional PERL Packages</u>	3
<u>1.2. Choosing And Installing The Webserver</u>	3
<u>1.2.1. Installing Apache</u>	3
<u>1.2.2. Install Sambar Server</u>	3
<u>1.3. Install MySQL</u>	4
<u>1.4. Install OTRS</u>	4
<u>2. Configuration</u>	5
<u>2.1. Configuring Perl</u>	5
<u>2.2. Configuring The Webserver</u>	6
<u>2.2.1. Configuring Apache</u>	6
<u>2.2.2. Configuring Sambar</u>	7
<u>2.3. Configuring MySQL</u>	9
<u>2.4. Configuring OTRS</u>	10
<u>2.4.1. CONFIG.PM</u>	10
<u>3. The First Start</u>	12
<u>3.1. System Email Addresses & POP3</u>	12
<u>3.2. Setup CRON Job(s)</u>	12
<u>4. Done!</u>	14

Install OTRS on Win32

Table of Contents

1. [Installations](#)
 - 1.1. [Install PERL](#)
 - 1.1.1. [Install Additional PERL Packages](#)
 - 1.2. [Choosing And Installing The Webserver](#)
 - 1.2.1. [Installing Apache](#)
 - 1.2.2. [Install Sambar Server](#)
 - 1.3. [Install MySQL](#)
 - 1.4. [Install OTRS](#)
2. [Configuration](#)
 - 2.1. [Configuring Perl](#)
 - 2.2. [Configuring The Webserver](#)
 - 2.2.1. [Configuring Apache](#)
 - 2.2.2. [Configuring Sambar](#)
 - 2.2.2.1. [Securing /otrs/bin](#)
 - 2.2.2.2. [Accelerating PHP and Perl](#)
 - 2.3. [Configuring MySQL](#)
 - 2.4. [Configuring OTRS](#)
 - 2.4.1. [CONFIG.PM](#)
3. [The First Start](#)
 - 3.1. [System Email Addresses & POP3](#)
 - 3.2. [Setup CRON Job\(s\)](#)
4. [Done!](#)

This How-To installs the [Open Ticket Request System OTRS](#) on systems running *Win32*. I tested it on Windows 2000, it should run on Windows 98, 98SE, ME, NT4 and XP, too.



Command Boxes

Throughout this document, we will need to enter commands directly into the system quite often. We do this in a so called *command box*. Other names are *command line*, (*DOS*) *prompt* or *shell*. Here is how to invoke a command box on Windows:

Click *Start*, then *Execute* and enter **cmd** in the dialogue box popping up. Hit **Return** on your keyboard or click *OK*. A (usually black) box appears, showing something similar to this:

```
Microsoft Windows 2000 [Version 5.00.2195]
(C) Copyright 1985-2000 Microsoft Corp.

C:\>
```

You may now enter commands such as

```
Microsoft Windows 2000 [Version 5.00.2195]
(C) Copyright 1985-2000 Microsoft Corp.

C:\>cd /d d:\otrs\bin\cgi-bin

D:\otrs\bin\cgi-bin>dir
Datenträger in Laufwerk D: ist Aurelia
Datenträgernummer: C8F1-F408

Verzeichnis von D:\otrs\bin\cgi-bin
```

```
20.01.03 00:20 <DIR> .
20.01.03 00:20 <DIR> ..
08.06.02 23:37 10 .cvsignore
18.01.03 02:14 20 .htaccess
09.01.03 16:06 20.734 customer.pl
09.01.03 16:06 19.014 index.pl
03.01.03 17:17 4.203 installer.pl
03.01.03 17:17 5.450 pic.pl
          6 Datei(en)          49.431 Bytes
          2 Verzeichnis(se),  9.825.726.464 Bytes frei
D:\otrs\bin\cgi-bin>
```

This will bring you to your OTRS executable directory and show its contents. The `/d` switch tells Windows to also change the drive letter, if necessary, i.e. to directly switch to the given directory.

Please note that this is a *sample output only*, and it's from my box, a german Windows 2000 installation, as you see. It will probably look different on your box.

You can customize the appearance of command boxes by clicking in the upper left corner of the window and choose **Properties**.

It will help if you get a little bit comfortable with command boxes and working from the command line in general. [Search with Google for help with command lines.](#)

1. Installations

You will need three main components on your system, a webserver ([Sambar Server](#) or/and [Apache](#)), a database ([MySQL](#)) and the programming language [Perl](#).

The whole installation will assumingly take place on drive D:, but you may install wherever you like, for sure. All you have to do is replace every occurrence of *D:* or *d:* with your choice, f.e. *c:\Programs*. It is **no** good idea to have spaces in the installation path, so *c:\program Files\otrs* won't be a lucky choice.

1.1. Install PERL

Download *Perl, Version 5.6.1 build 633* from <http://www.activestate.com/Products/Download/Download.plex?id=ActivePerl>. I recommend choosing the MSI version.

Install Perl using the default values to *D:\Perl*.

1.1.1. Install Additional PERL Packages

Download the OTRS–Win32–Perl–Packages [in one file](#) (coming via FTP from *ftp.otrs.org*) and unpack it into *D:\Perl*, preserving directory structure.


1.2. Choosing And Installing The Webserver

OTRS requires a minimum of one webserver to run ;) You may choose the one of your choice, it will probably run on every perl–enabled webserver. I tested it on [Sambar 5.2 & above](#) and on [Apache](#), both [1.3](#) and [2.0](#). `mod_perl` is only available for Apache. Currently, only `mod_perl–1.0` on Apache 1.3.27 is working ok for OTRS, `mod_perl–2.0` regrettably not.

1.2.1. Installing Apache

Download the [Apache](#) of your choice ([1.3.27](#) and/or [2.0.43](#)) and install it/them. I recommend you choose **D:\Apache** as root for **both** versions. The resulting directory structure will be:

```
D:\Apache\          --- home of both
D:\Apache\Apache\   --- home of Apache 1.3
D:\Apache\Apache2\  --- home of Apache 2.0
```

 You may install both 1.3 and 2.0 on the very same machine, they can both be running and may both be used at the same time, if you like to. All you have to do is to ensure they are not configured to run on the same port. The second installation willing to start on port 80 won't succeed in doing so. So configure Apache 1.3 to run on port 80, Apache 2.0 to run on port 81. You could even configure the Sambar webserver (see different section in this manual) to run on port 82, if you'd like to, or choose your own port configuration. Surely one webserver running one version would be enough – the rest is for geeks ;)

1.2.2. Install Sambar Server

Download Sambar Server from <http://sambar.robertkehl.de>, the home page is <http://www.sambar.com>. I recommend using version 5.2 Production, surely any later version will do, too. Do not use any version prior to 5.2 Production!

Read the security notes on <http://www.sambar.com/syshelp/security.htm> and install Sambar, where you like to, *D:\Sambar* is a good choice.

If you're running Windows NT4, 2000 or XP, you can and should install Sambar as a Service, if the install routine hasn't done so yet. Therefore you open a command box. You enter the following:

```
C:\>cd /d d:\sambar\bin
D:\sambar\bin>ntserver.exe -i -s Sambar
```

Now start Sambar using the built-in service administration panel or by entering:

```
D:\sambar\bin>net start Sambar
```

On Win9x/ME, you start Sambar clicking *Start -> Programs -> Sambar Server -> Start Sambar Server*. There are no services on Win9x/ME.

Ensure that Sambar is running: <http://localhost>. The documentation can be found here: <http://localhost/syshelp/index.htm>. The system administration forms are here: <http://localhost/session/adminlogin?RCpage=/sysadmin/index.stm>.



Ensure to **now** set the admin password to prevent others using your Sambar in a malicious way. You do this on the sysadmin forms under *User Management*. Good Passwords are longer than eight keystrokes and look like this: **sie.&Fh9w_iG**

1.3. Install MySQL

Download MySQL from <http://www.mysql.com/downloads/mysql-3.23.html> and install it in *D:\mysql*, under Win 2000/XP as a service, too. Start it.

For a more comfortable configuration interface I recommend installing phpMyAdmin from <http://www.phpmyadmin.net>, too, location: *D:\mysql\phpMyAdmin*. This will require [PHP](#) to be installed, which always is a very good idea.

We change the password for root later.

1.4. Install OTRS

Last but not least – the beast!

Download OTRS as a tarball (.tar.gz): <http://otrs.org/download> and unzip it to *d:*, preserving the directory structure. A directory called 'otrs' will be created on *D:*

2. Configuration

2.1. Configuring Perl

We now patch our Perl because it doesn't suit our needs in the default installation, there are some so called "packages" missing.

Open a command box and enter this:

```
C:\>cd /d D:\Perl\packages
D:\Perl\packages>install.bat
[...returned output snipped...]
```

The install routine places the file `mod_perl.so` in `\Apache\Apache\modules`. By the time of this writing, you will have to manually adjust the path in `install.bat`, if you installed Apache in another place or copy `mod_perl.so` manually to your Apache's `modules` directory.

Your Perl should now look like this or even better:

```
D:\Perl\packages>ppm query
[...returned output shortened...]
Archive-Tar      [0.072    ]
Authen-SASL     [2.03     ]
Compress-Zlib   [1.16     ]
Convert-ASN1    [0.16     ]
DBD-MySQL       [1.2200   ]
DBI             [1.27     ]
Digest         [1        ]
Digest-HMAC     [1.01     ]
Digest-MD2     [2        ]
Digest-MD4     [1.1      ]
Digest-MD5     [2.20     ]
Digest-SHA1    [2.01     ]
File-CounterFile [0.12     ]
Font-AFM       [1.18     ]
GD             [1.27.2   ]
GDGraph        [1.32     ]
GDTextUtil     [0.80     ]
HTML-Parser    [3.26     ]
HTML-Tagset    [3.03     ]
HTML-Tree      [3.11     ]
IO-Socket-SSL  [0.92     ]
IO-stringy     [2.108    ]
MD5            [2.02     ]
MIME-Base64    [2.12     ]
MIME-tools     [5.411a   ]
MailTools      [1.58     ]
Net-DNS        [0.33     ]
Net_SSLeay.pm  [1.22     ]
PPM            [2.1.6    ]
SOAP-Lite      [0.55     ]
Storable       [1.0.12   ]
Test-Simple    [0.47     ]
Tk             [800.023  ]
URI            [1.19     ]
XML-Parser     [2.27     ]
XML-Simple     [1.06     ]
libnet         [1.12     ]
libwin32       [0.19.1   ]
libwww-perl    [5.64     ]
mod_perl       [1.27_01-dev]
```

You may now delete the files in D:\Perl\packages, if you want to, but you don't have to.

That's it for Perl.

2.2. Configuring The Webserver

Again we differentiate between Apache and Sambar. Remember you can have both running or switch around if you like.

2.2.1. Configuring Apache

In the following, I will refer to 'Apache' only, the process is the same for both versions 1.3 and 2.0.

Open Apache's configuration file `httpd.conf`, it is located in `d:\Apache\Apache\conf\`. Append these lines to the end of the file, adjust them to your needs:

```
# uncomment the following two for Apache2!
LoadModule perl_module modules/mod_perl.so
AddModule mod_perl.c

### added for OTRS (http://otrs.org/)

<IfModule mod_alias.c>
    Alias /otrs/ "d:/otrs/bin/cgi-bin/"
    PerlModule Apache::Registry
</IfModule>

<Location /otrs>
    Options ExecCGI
    Order deny,allow
    Deny from all
    allow from 127.0.0.1

    SetHandler cgi-script
    ScriptInterpreterSource registry

    <IfModule mod_perl.c>
        SetHandler perl-script
        PerlHandler Apache::Registry
        PerlSendHeader On
    </IfModule>

</Location>

# load all otrs modules
PerlRequire d:/otrs/scripts/apache-perl-startup.pl

# MaxRequestsPerChild (so no apache child will be to big!)
#MaxRequestsPerChild 400
# depends on your RAM
```

Take a little time to configure the rest of `httpd.conf`, too. Open `d:\otrs\scripts\apache-perl-startup.pl` and change these lines:

```
1:
#! D:/Perl/bin/perl
10,11:
use lib "d:/otrs/";
use lib "d:/otrs/Kernel/cpan-lib";
38,39:
#use Kernel::System::AuthSession::IPC;
use Kernel::System::AuthSession::DB;
46,47:
#use Kernel::System::Log::SysLog;
use Kernel::System::Log::File;
```

About mod_perl_2.0 on Apache2

At this moment, OTRS under mod_perl_2.0 isn't running smoothly on Win32, so perl is used as a CGI process on Apache2 only. We are fully aware that mod_perl_2.0 should be used to efficiently speed things up, and we're in the process of getting it to work. Please be patient or try mod_perl yourself. [Let us know](#) if you succeed :)

That's it for Apache. (Re-)Start your installation(s) using the Apache monitor, probably located in your task bar. Sometimes it's a good idea to restart the whole box.

2.2.2. Configuring Sambar

We now configure our webserver *Sambar*. Open the file *D:\Sambar\config\mappings.ini* and create these entries:

```
[aliases]
/mysql = d:/mysql/Docs
/phpMyAdmin = d:/mysql/phpMyAdmin

[cgi-aliases]
/otrs/ = /otrs/bin/cgi-bin/
/obin/ = /otrs/bin/
```

In *D:\Sambar\config\config.ini* you set values shown beneath:

```
[common]
Trace Level = INFO
Trace Performance = true
Network Trace Level = None
Dynamic IP Test = true
License =
Licensee =
DNS Primary = IPAdresse.DNS1.beideinem.Provider
DNS Secondary = IPAdresse.DNS2.beideinem.Provider

[server]
System Administrator = admin
System Administrator IP = 127.0.0.1
Act As HTTP Server = true
Act As HTTPS Server = false
Act As DNS Server = false
Act As DHCP Server = false
Act As Mail Server = false
Act As TFTP Server = false
Act As FTP Server = false
Act As FTPS Server = false
Act As FTP Proxy = false
Act As NNTP Proxy = false
```

```

Act As SMTP Proxy = false
Act As POP3 Proxy = false
Act As IMAP4 Proxy = false
Act As Bridge Proxy = false
Act As SOCKS Proxy = false
Act As Telnet Server = false
Trace FTP = true
Trace TFTP = true
Trace Bridge = true
Trace DHCP = true
Trace DNS = true
SMTP Server = smtp.deinprovider.de
DOT-File Security = true

[http]
Act As HTTP Proxy = false
Trace Proxy Usage = true
Trace Requests = true
Log Format = performance
Don't Log IPs = 127.0.0.1
Default Page = index.pl index.php index.stm index.shtml index.shtm index.sht index.htm index.html
Perl Executable = D:/Perl/bin/perl.exe
CGI Extensions = *.pl
Enforce .htaccess = true

[events]
Monitor Invalid Logins = true
Monitor Invalid Requests = true
Share User Logins = true
Trace User Logins = true

```

Restart Sambar for the changes to take affect.



Note:

At the very moment we do not use the *mail server* of Sambar, nor the *DNS server*. To use them right now (outside of OTRS), you need a *Pro version* of Sambar, see <http://sambar.com/syshelp/pro.htm>. The http functionality is not limited in the freeware version, which is automagically active. Entering this in config.ini will enable the demo version of the Pro version aktiviert, which will run between 9 a.m. and 5 p.m.

```

[common]
License = demo
Licensee = demo

```

2.2.2.1. Securing /otrs/bin

We **have** to secure the alias /obin/ which points to d:\otrs\bin\, holding all of the code useful for hacking the system. I personally do not want to expose these "tools" to everyone.

Create the file *d:\otrs\bin\htaccess.txt* using Windows Explorer containing just this one line:

```
require group root
```

Open a command box and enter this:

```
C:\>cd /d d:\otrs\bin
D:\otrs\bin>ren htaccess.txt .htaccess
```

Now only users belonging to the group "root" and the system itself (CRON jobs f.e.) will be allowed to access the scripts in "d:\otrs\bin".

2.2.2.2. Accelerating PHP and Perl

We will now tell Sambar to speed up a bit while using Perl and PHP by telling him to load the two as ISAPI-DLLs.

In *D:\Sambar\config\config.ini* you clear the value for *CGI Extensions* as shown beneath:

```
[common]
CGI Extensions =
```

In *D:\Sambar\config\mappings.ini* you set these values:

```
[isapi]
*.pl = d:\perl\bin\perlis.dll
*.cgi = d:\perl\bin\perlis.dll
*.php = d:\php\php4isapi.dll
*.php4 = d:\php\php4isapi.dll
*.php3 = d:\php\php4isapi.dll
```

Now you must copy the file *D:\php\sapi\php4isapi.dll* to *d:\php*. Restart Sambar for all changes to take effect.

That's it for Sambar.

2.3. Configuring MySQL

Secure your MySQL by providing good passwords for the users *@%*, *root@%* und *root@localhost*. This can easily be done via *phpMyAdmin*.

Let's fill the database. You can do this via the command line, as show here (output not shown):

```
C:\>cd /d d:\mysql
D:\mysql>mysql -u root -p password -e 'create database otrs'
D:\mysql>mysql -u root -p password otrs < d:\otrs\scripts\database\otrs-schema.mysql.sql
D:\mysql>mysql -u root -p password otrs < d:\otrs\scripts\database\initial_insert.sql
D:\mysql>mysql -u root -p -e 'GRANT ALL PRIVILEGES ON otrs.* TO otrs@localhost IDENTIFIED BY "son'
D:\mysql>mysqladmin -u root -p password reload
```

I recommend using phpMyAdmin under <http://localhost/phpMyAdmin> instead of working on the command line. You create the database right on the start screen. Now you click the tab "SQL", and enter `d:\otrs\scripts\database\otrs-schema.mysql.sql` in the textfield labeled "or File:". Click OK. If all went ok, enter `d:\otrs\scripts\database\initial_insert.sql` and click OK.

Now commit this command:

```
GRANT ALL PRIVILEGES ON otrs.* TO otrs@localhost IDENTIFIED BY "irgendeinpasswort" WITH GRANT OPT
```

That's it for MySQL, which we provided with the database otrs, its corresponding tables and the user otrs@localhost.

2.4. Configuring OTRS

2.4.1. CONFIG.PM

Now you teach OTRS s.th. about you. First create your configuration file:

```
C:\>cd /d d:\otrs\Kernel
D:\otrs\bin>copy Config.pm.dist Config.pm
```

Despite your settings concerning FQDN etc., you set the following in `d:\otrs\Kernel\Config.pm`:

```
# -----#
# Sendmail
# -----#
$Self->{'SendmailModule'} = 'Kernel::System::Email::SMTP';
$Self->{'SendmailModule::Host'} = 'smtp-server.of.your.provider';
$Self->{'SendmailModule::AuthUser'} = 'smtp-username';
$Self->{'SendmailModule::AuthPassword'} = 'smtp-password';
# -----#
# directories
# -----#
$Self->{Home} = 'd:/otrs';
$Self->{CounterLog} = '<OTRS_CONFIG_Home>/var/log/TicketCounter.log';
$Self->{ArticleDir} = '<OTRS_CONFIG_Home>/var/article';
$Self->{StatsPicDir} = '<OTRS_CONFIG_Home>/var/pics/stats';
$Self->{TemplateDir} = '<OTRS_CONFIG_Home>/Kernel/Output';
$Self->{TempDir} = '<OTRS_CONFIG_Home>/var/tmp';
# -----#
# LogModule
# -----#
$Self->{LogModule} = 'Kernel::System::Log::File';
# -----#
# own config settings
# config settings taken from Kernel/Config/Defaults.pm
# -----#
# $Self->{SessionUseCookie} = 0;
$Self->{SessionModule} = 'Kernel::System::AuthSession::DB';
```



A note about your FQDN


This is the called *Full Qulified Domain Name* of your PC, just like your IP adress it's unique across the universe ...ah... internet, I mean. If you're using a dial-up line to connect to the internet, your FQDN will always be a different one each time you dial anew. This is indeed ok for OTRS, but it's not nice if exim announces itself with a wrong name. It can lead to difficulties in mail delivery.

To solve this problem you can use so called *Dynamic DNS services* like <http://www.dyndns.org>. By using a client such as *DirectUpdate* (<http://www.directupdate.net>) you submit your IP adress to *dyndns.org* each times it changes and can thereby obtain a FQDN, for example *gogos-pc.home-ip.net*. You can even forward your domain *http://www.thisismydomain.com* to your home PC. If you got further questions concerning Dynamic DNS services, [don't hesitate to ask](#) – but now back to OTRS :)

3. The First Start

Now startup OTRS for the first time. A good idea is to reboot your machine before, remember: You're on Windows ;) Then call <http://localhost/otrs/index.pl> in your favourite browser.

The user name is "root@localhost", the password is "root", both without the quotes.

 It's a *very good* idea to *now* change your password on <http://localhost/otrs/index.pl?Action=AdminUser>

3.1. System Email Addresses & POP3


You set your system email addresses here: <http://localhost/otrs/index.pl?Action=AdminSystemAddress>. These are the addresses your customers later on use to reach your OTRS.

You create POP3 accounts for each system email here: <http://localhost/otrs/index.pl?Action=AdminPOP3>

Your OTRS is now ready, you can start! Have a look around the interface and work on the test ticket provided.

Now write an email to one of the system email addresses. Enter this in your browser, it provides the email to OTRS. <http://localhost/obin/PostMasterPOP3.pl>. We will later automate this.


Your email will be visible in the queue *Raw* – that's here: <http://localhost/otrs/index.pl?Action=AgentQueueView>. Answer this first inquiry.


 It is *NO* good idea to use one of the System Email Addresses to address the system, this will produce loops.

3.2. Setup CRON Job(s)

At last, we tell Sambar to fetch all POP3–Mail every 10 minutes and pump it into the database. Therefore you enter this in *D:\Sambar\config\schedule.ini*:

```
[cron]
# fetch emails every 10 minutes
*/10 * * * * perl d:/otrs/bin/PostMasterPOP3.pl &
```

 The schedule entry will be active 1–2 minutes after saving the file.

 You may enter the following CRON jobs at this very moment, too. Their very purpose is described elsewhere in this manual.

```
[cron]
# start generic agent every 20 minutes
*/20 * * * * perl d:/otrs/bin/GenericAgent.pl &

# check every 60 min the pending jobs
45 * * * * perl d:/otrs/bin/PendingJobs.pl &

# Rebuild Ticket Index every day
01 01 * * * perl d:/otrs/bin/RebuildTicketIndex.pl &

# delete every six hours old session ids
55 */6 * * * perl d:/otrs/bin/DeleteSessionIDs.pl --expired &
```

```
# unlock every hour old locked tickets
35 * * * * perl d:/otrs/bin/UnlockTickets.pl --timeout &
```



No CRON Jobs on Apache

Please note that Apache cannot CRON. You will have to execute the CRON Jobs manually from the command line or by using Windows Task Scheduler. Use the following command for each script to prevent windows popping up at you screen while executing the script. **cmd /c start /min perl d:\otrs\bin\NameOfCRONJob.pl**

4. Done!

Congratulations, you hopefully were successful in installing OTRS on Win32!

If s.th. still is not as clear as it should be or if you are getting nothing more than error messages instead of the interface of OTRS, don't hesitate to mail [otrs-win32 at robertkehl.de](mailto:otrs-win32@robertkehl.de). Hopefully you get a ticket back ;-)

I would be more enlightened if you'd send some success stories!

Surely this chapter will follow the development of [OTRS](#). OTRS on Win32 can be done with Apache, too, and I will soon include a part on it.

Have fun using your OTRS on Sambar!